

31. GET WIPCONFIRM - REVISION 002

31.0 Overview


This chapter describes the Business Service Request named GET WIPCONFIRM, the Verb being GET and the Noun being WIPCONFIRM.

The purpose of the GET WIPCONFIRM Business Service Request is to enable the requesting of data necessary to perform a confirmation of the movement of WIP (Work in Progress).

This BSR does not commonly cause updates to occur.

This BSR may be used individually, or as part of a larger interface scenario. The picture below visualizes a possible use of this BSR.


Work in Process Confirmation Processing



31.1 GET WIPCONFIRM

The GET WIPCONFIRM Business Object Document consists of the following Data Types:

1. **SFCHEADER** - Information about the entire WIP transaction. This Data Type is required.
2. **SFCLINEDAT** - Information concerning the specific WIP operation or it may represent a step in a routing. At least one occurrence of this Data Type is required for each occurrence of the SFCHEADER Data Type.



31.2 SFCHEADER

The Data Type, “**SFCHEADER**”, is the first Data Type the Business Service Request “**GET WIPCONFIRM**” uses. The SFC refers to term Shop Floor Control.

The SFCHEADER can refer to a Production Order, a Job Order, A Work Order, A Maintenance Order, or a Labor Order.

Listed are all the Field Identifiers and Segments that are valid for use within the SFCHEADER Data Type. The first column of the table indicates the name. Segment names also include the Qualifier in parenthesis.

The second column indicates in which OAGIS Appendix the data is described, basically if the data is a Field Identifier or a Segment. Details of the Field Identifiers can be located in Appendix C, and details of the Segments can be located in Appendix D.

The first table represents required data.

REQUIRED SFCHEADER DATA	
NAME	APPENDIX
DESCRIPTN	C
DOCUMENTID	C

The second table describes data that is optional.

OPTIONAL SFCHEADER DATA	
NAME	APPENDIX
USERAREA	C

Processing Notes:

The Description field describes the type of document as Work Order, Production Order, etc.

The type of document sent in this BSR should be discussed and agreed to before production processing is attempted. This is necessary to ensure integrity of the transaction.

31.3 SFCLINEDAT

The Data Type, "SFCLINEDAT", is the second Data Type the Business Service Request "GET WIPCONFIRM" uses. The SFC Line Data refers to Shop Floor Control Operation/Line information or alternatively it could represent a step in a routing.

Listed are all the Field Identifiers and Segments that are valid for use within the SFCLINEDAT Data Type. The first column of the table indicates the name. Segment names also include the Qualifier in parenthesis.

The second column indicates in which OAGIS Appendix the data is described, basically if the data is a Field Identifier or a Segment. Details of the Field Identifiers can be located in Appendix C, and details of the Segments can be located in Appendix D.

The first table represents required data.

REQUIRED SFCLINEDAT DATA	
NAME	APPENDIX
OPERATION	C

The second table describes data that is optional.

OPTIONAL SFCLINEDAT DATA	
NAME	APPENDIX
OPERATNAME	C
OPERATNSEQ	C
USERAREA	C